

Fauna & Flora List

REPTILES

SCIENTIFIC NAMES

CLASS : REPTILIA

Order : TESTUDINATA

Geochelone pardalis
Pelomedusa subrufa
Lygodactylus capensis
Pachydactylus turneri
Acanthocercus articolis
Chamaeleo dilepis
Mabuya varia
Mabuya punctassimus
Veranus albigularis
Ichnotropis squamulosa
Gerrhosaurus flavigularis

COMMON NAMES

REPTILES

TORTOISES

Leopard tortoise
Helmeted terrapin
Cape dwarf gecko
Turner's thick toed gecko
Tree agama
Flap necked chameleon
Variable skink
Speckled skink
White throated monitor
Common rough scaled lizzard
Yellow throated plated lizzard

SUBORDER : SEREPENTES

Aparalactus capensis
Lamprophis capensis
Lychophidion capensis
Psammophylax tritaeniatus
Psammophis brevirosstris
Psammophis subtaeniatus
Philothamnus semivariegatus
Dasypeltis scabra
Pseudaspis cana
Python sebae
Dispholidus typus
Thelotornis capensis
Hemachatus haemachatus
Naja anulifera
Naja mossambica
Dendoaspis polylepis
Causus defilippii
Bitis arietans

SNAKES

Cape centipede eater
Brown house snake
Cape wolf snake
Striped skaapsteker
Short snouted sand snake
Stripe bellied sand snake
Spotted bush snake
Rhombic egg eater
Molesnake
African rock python
Boomslang
Vine snake
Rinkhals
Snouted cobra
Mozambique spitting cobra
Black mamba
Snouted night adder
Puff adder

AMPHIBIANS

SCIENTIFIC NAMES

CLASS : AMPHIBIA

Order : ANURA

Family : Pipidae

Xenopus laevis

Family : Bufonidae

Bufo gutturalis

Bufo poweri

Bufo fenoulheti

Schismaderma carens

Family : Microhylidae

Phrynomantis bifasciatus

Family : Ranidae

Tomopterna cryptotis

Afrana angolensis

Phrynobatrachus natalensis

Family : Hyperolidae

Kassina senegalensis

COMMON NAMES

AMPHIBIANS

FROGS

Clawed Frogs

Common Platanna

Toads

Guttural toad

Olive toad

Northern pygmy toad

Red toad

Rubber frogs

Striped rubber frog

Common frogs

Tremolo sand frog

Common river frog

Snoring puddle frog

Reed frogs

Bubbling kassina

BIRDS

There are approximately 170 species of birds that can be found on Euphoria ,ranging from mixed broad leaf woodland to mountain slopes and aScasia woodland.

SCIENTIFIC NAME

Ardea melanocephala

Bubulcus ibis

Bostrychia hagedash

Alopochen aegyptiacus

Anus undulata

Milvus aegyptius

Elanus caeruleus

ENGLISH NAME

Black headed heron

Cattle egret

Hadeda ibis

Egyptian goose

Yellow billed duck

Yellow billed kite

Black-shouldered kite

| | |
|----------------------------------|--------------------------------|
| <i>Aquila wahlbergi</i> | Wahlbergs eagle |
| <i>Hieraaetus spilogaster</i> | African hawk eagle |
| <i>Circaetus cinereus</i> | Brown snake eagle |
| <i>Circaetus pectoralis</i> | Black chested snake eagle |
| <i>Buteo vulpinus</i> | Steppe buzzard |
| <i>Kaupifalco monogrammicus</i> | Lizzard buzzard |
| <i>Accipiter minullus</i> | Little sparrowhawk |
| <i>Accipiter badius</i> | Little banded goshawk |
| <i>Polyboroides typus</i> | African harrier hawk |
| <i>Falco rupicolis</i> | Rock kestrel |
| <i>Peliperdix coqui</i> | Coqui francolin |
| <i>Dendroperdix sephaena</i> | Crested francolin |
| <i>Pternistes natalensis</i> | Natal francolin |
| <i>Pternistes swainsonii</i> | Swainsons spurfowl |
| <i>Numida meleagris</i> | Helmeted guinefowl |
| <i>Eupodotis ruficrista</i> | Red crested Korhaan |
| <i>Vanellus coronatus</i> | Crowned Lapwing |
| <i>Vanellus armatus</i> | Blacksmith lapwing |
| <i>Burhinus capensis</i> | Dikkop |
| <i>Columba livia</i> | Feral pigeon |
| <i>Columba guinea</i> | Spotted rock pigeon |
| <i>Streptopelia semitorquata</i> | Red eyed dove |
| <i>Streptopelia capicola</i> | Cape turtle dove |
| <i>Streptopelia senegalensis</i> | Laughing dove |
| <i>Oena capensis</i> | Namaqua dove |
| <i>Turtur chalcospilos</i> | Emerald spotted wood dove |
| <i>Treron calva</i> | African green pigeon |
| <i>Corythaixoides concolor</i> | Grey loerie |
| <i>Cuculus gularis</i> | African cuckoo |
| <i>Cuculus solitarius</i> | Red chested cuckoo |
| <i>Cuculus clamosus</i> | Black cuckoo |
| <i>Chrysococcyx klaas</i> | Klaas's cuckoo |
| <i>Chrysococcyx caprius</i> | Diderick cuckoo |
| <i>Centropus burchellii</i> | Burchells coucal |
| <i>Tyto alba</i> | Barn owl |
| <i>Ptilopusus granti</i> | Southern white faced scops-owl |
| <i>Glaucidium perlatum</i> | Pearl spotted owl |
| <i>Bubo africanus</i> | Spottedc eagle owl |
| <i>Caprimulgus pectoralis</i> | Fiery necked nightjar |
| <i>Caprimulgus rufigena</i> | Rufous cheeked nightjar |

| | |
|---------------------------------|---------------------------------|
| <i>Apus caffer</i> | White rumped swift |
| <i>Apus affinus</i> | Little swift |
| <i>Cypsiurus parvus</i> | African palm swift |
| <i>Colius striatus</i> | Speckled mousebird |
| <i>Urocolius indicus</i> | Red faced mousebird |
| <i>Ispidina picta</i> | African pygmy kingfisher |
| <i>Halcyon senegalensis</i> | Woodland kingfisher |
| <i>Halcyon albiventris</i> | Brown hooded kingfisher |
| <i>Halcyon chelicuti</i> | Striped kingfisher |
| <i>Merops apiaster</i> | European bee-eater |
| <i>Merops bullockoides</i> | White fronted bee-eater |
| <i>Merops pusillus</i> | Little bee-eater |
| <i>Coracias caudata</i> | Lilac breasted roller |
| <i>Upupa africana</i> | African hoopoe |
| <i>Phoeniculus purpureus</i> | Green wood-hoopoe |
| <i>Rhinopomastus cyanomelas</i> | Common scimitarbill |
| <i>Tockus nasutus</i> | African grey hornbill |
| <i>Tockus erythrorhynchus</i> | Red billed hornbill |
| <i>Tockus leucomelas</i> | Southern yellow billed hornbill |
| <i>Lybius torquatus</i> | Black collared barbet |
| <i>Tricholaema leucomelas</i> | African pied barbet |
| <i>Pogoniulus chrysoconus</i> | Yellow fronted tinker bird |
| <i>Trachyphonus vaillantii</i> | Crested barbet |
| <i>Indicator indicator</i> | Greater honeyguide |
| <i>Indicator minor</i> | Lesser Honeyguide |
| <i>Campethera abingoni</i> | Golden tailed woodpecker |
| <i>Dendropicos fuscescens</i> | Cardinal woodpecker |
| <i>Dendropicos namaquus</i> | Bearded woodpecker |
| <i>Mirafra africana</i> | Rufous naped lark |
| <i>Mirafra sabota</i> | Sabota lark |
| <i>Hirundo rustica</i> | European swallow |
| <i>Hirundo albigularis</i> | White throated swallow |
| <i>Hirundo semirufa</i> | Red breasted swallow |
| <i>Hirundo cucullata</i> | Greater striped swallow |
| <i>Hirundo abyssinica</i> | Lesser striped swallow |
| <i>Hirundo fuligula</i> | Rock martin |
| <i>Campephaga flava</i> | Black cuckooshrike |
| <i>Dicrurus absimilis</i> | Fork tailed drongo |
| <i>Oriolus larvatus</i> | Black headed oriole |

| | |
|---------------------------------|-----------------------------|
| <i>Corvus albus</i> | Pied crow |
| <i>Parus cinerascens</i> | Ashy tit |
| <i>Parus niger</i> | Southern Black tit |
| <i>Turdoides jardineii</i> | Arrow marked babbler |
| <i>Pycnonotus tricolor</i> | Dark capped bulbul |
| <i>Turdus libonyanus</i> | Kurrichane thrush |
| <i>Cercomela familiaris</i> | Familiar chat |
| <i>Cossypha caffra</i> | Cape robin chat |
| <i>Cossypha humeralis</i> | White throated robin chat |
| <i>Cercotrichas leucophrys</i> | White browed scrub robin |
| <i>Sylvia borin</i> | Garden warbler |
| <i>Parisoma subcaeruleum</i> | Chestnut vented tit babbler |
| <i>Hippolais icterina</i> | icterine warbler |
| <i>Phylloscopus trochilus</i> | Willow warbler |
| <i>Apalis thoracica</i> | Bar throated apalis |
| <i>Sylvietta rufescens</i> | Long billed crombec |
| <i>Erenomela usticolus</i> | Burnt necked erenomela |
| <i>Camaroptera brevicaudata</i> | Grey backed camaroptera |
| <i>Cisticola juncidis</i> | Fantailed cisticola |
| <i>Cisticola aridulus</i> | Desert cisticola |
| <i>Cisticola chinianus</i> | Rattling cisticola |
| <i>Cisticola fulvicapillus</i> | Neddicky |
| <i>Prinia subflava</i> | Tawny flanked prinia |
| <i>Prinia flavicans</i> | Black chested prinia |
| <i>Muscicapa striata</i> | Spotted flycatcher |
| <i>Myioparus plumbeus</i> | Fantailed flycatcher |
| <i>Meleanornis pammelaina</i> | Southern black flycatcher |
| <i>Bradornis mariquensis</i> | Marico flycatcher |
| <i>Batis molitor</i> | Chinspot batis |
| <i>Terpsiphone viridis</i> | African paradise flycatcher |
| <i>Anthus cinnamomeus</i> | Grasveld pipit |
| <i>Anthus lineiventris</i> | Striped pipit |
| <i>Anthus caffer</i> | Bushveld pipit |
| <i>Macronyx capensis</i> | Orange throated longclaw |
| <i>Lanius collaris</i> | Common fiscal |
| <i>Corvinella melanoleuca</i> | Longtailed shrike |
| <i>Laniarius ferrugineus</i> | Southern boubou |
| <i>Laniarius atrococcineus</i> | Crimson breasted shrike |
| <i>Dreoscopus cubla</i> | Black backed puffback |
| <i>Nilaus afer</i> | Brubru |

| | |
|----------------------------|------------------------------|
| Tchagra australis | Brown crowned tchagra |
| Tchagra senegalae | Black crownwd tchagra |
| Telophorus sulfereopectus | Orange breasted bush shrike |
| Malaconotus blanchoti | Grey headed bush shrike |
| Prionops plumatus | White crested helmet shrike |
| Acridotheres tristis | Common myna |
| Creatophora cineria | Wattled starling |
| Cinnyricinclus leucogaster | Plumcol starling |
| Lamprotornis nitens | Cape glossy starling |
| Cinnyris mariquensis | Marico sunbird |
| Cinnyris talatala | White bellied sunbird |
| Zosterops pallidus | Cape white eye |
| Plocepasser mahali | White browed sparrow weaver |
| Passer domesticus | House sparrow |
| Passer malanurus | Cape sparrow |
| Passer diffusus | Southern grey headed sparrow |
| Ploceus velatus | Southern masked weaver |
| Quelea quelea | Red billed quelea |
| Euplectes orix | Southern red bishop |
| Euplectes albonotatus | White winged windowbird |
| Pytilia melba | Melba finch |
| Lagonosticta rhodopareia | Jamesons firefinch |
| Lagonosticta senagala | Red billed firefinch |
| Uraeginthus angolensis | Blue waxbill |
| Estrilda astrild | Common waxbill |
| Amadava subflava | Orange breasted waxbill |
| Amadina fasciata | Cut throat finch |
| Lonchura cucullata | Bronze mannikin |
| Vidua macroura | Pin tailed whydah |
| Serinus mozambicus | Yellow fronted canary |
| Serinus atrogularis | Black throated canary |
| Serinus gularis | Streaky headed seed eater |
| Emberiza tahapisi | Cinnamon breasted bunting |

TREES

| SPECIE | ENGLISH NAME | AFRIKAANS NAME |
|---------------------------------|---------------------|------------------------|
| <i>Acacia caffra</i> | Cat thorn | Katdoring |
| <i>Acacia galspinii</i> | Apies thorn | Apiesdoring |
| <i>Acacia karoo</i> | Mimosa | Soetdoring |
| <i>Acacia siberlana</i> | Flat crown thorn | Platkroondoring |
| <i>Bolusanthus speciosus</i> | Tree wisteria | Van wykshout |
| <i>Buddleia salvifolia</i> | Sage wood | Saliehout |
| <i>Burkea africana</i> | Wild seringa | Rooisering |
| <i>Calodendrum capense</i> | Cape chestnut | Kastanjehout |
| <i>Cassia abbreviate</i> | Long tail cassia | Peulbos |
| <i>Celtis africana</i> | White stinkwood | Wit stinkhout |
| <i>Combretum erythrophyllum</i> | Bush willow | Vaderlandswilg |
| <i>Cunonia capensis</i> | Red alder | Rooiels |
| <i>Ekebergia capensis</i> | Dog plum | Essenhout |
| <i>Erythrina caffra</i> | Coral tree | Koraalboom |
| <i>Faurea saligna</i> | African beech | Boekenhout |
| <i>Ficus capensis</i> | Wild fig | Wildevy |
| <i>Gardenia spatulifolia</i> | Transvaal gardenia | Katjie piering |
| <i>Greyia sutherlandii</i> | Bottle brush | Baakhout |
| <i>Harpephyllum caffrum</i> | Wild plum | Suurpruim |
| <i>Kiggelaria africana</i> | Wild peach | Wilde perske |
| <i>Kirkia acumminata</i> | White seringa | Wit sering |
| <i>Ochna pulcra</i> | Pealing plain | Lekkerbreek |
| <i>Olea africana</i> | Wild olive | Olienhout |
| <i>Pelthophorum africanum</i> | African wattle | Huilboom |
| <i>Protea caffra</i> | Common protea | Suikerbos |
| <i>Rhus lancea</i> | Bastard willow | Karee |
| <i>Schotia brachupetala</i> | Tree fuchsia | Huiboerboom |
| <i>Sclerocarya birea</i> | Marula | Maroela |
| <i>Terminalia Siricea</i> | Silver cluster leaf | Vaalboom |
| <i>Trichillia roka</i> | Natal mahogany | Rooiessenhout |
| <i>Ziziphus micronata</i> | Buffalo thorn | Blinkblaar w n bietjie |